

Appl. No. 10/827,188
Reply to Office Action of Oct. 5, 2007

RECEIVED
CENTRAL FAX CENTER

NOV 30 2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re: Brian Forrester

Serial No: 10/827,188

Filed: 04/19/2004

For: AUTOMATED METER READING
INSTALLATION SYSTEM AND METHOD

Examiner: Tonya S. Joseph

Group Art Unit: 3628

Confirmation No: 2324

Docket No. 024736.00014

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

RESPONSE TO RESTRICTION REQUIREMENT

In response to the communication dated October 5, 2007, please amend the above-identified application as follows:

ELECTION begins on page 2 of this paper.

Appl. No. 10/827,188
Reply to Office Action of Oct. 5, 2007


ELECTION

Applicant elects Invention I, which encompasses claims 1-17 for prosecution on the merits.

For reference, Invention II includes claims 18-23, which are not elected for consideration unless the Office finds the Applicant's arguments sufficient to overcome the restriction.

The Examiner is invited to contact the undersigned with any questions or comments that the Examiner may have.

Respectfully submitted,



Douglas W. Kim,
Registration No. 44,828
McNAIR LAW FIRM, P.A.
P.O. Box 10827
Greenville, SC 29603-0827
Telephone: 864-232-4261
Facsimile: 864-232-4437
Email: dkim@mcnair.net
Attorneys for Applicant

GREENVILLE 247569v1